

SINGLE TRADITIONAL SPOTLIGHT



Part: N/A

Categories: [Lighting](#), [Spotlights](#), [Spotlights & Downlights](#)

ADDITIONAL INFORMATION

Fitting Height (mm)	150
Item Nett Weight (Kg)	0.28
Width (mm)	90
Projection (mm)	190
No. of Lamp	1
Lamp Holder	GU10
Protection Class	Class II, Double Insulated
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Finish	Aged Brass, Polished Nickel



ADDITIONAL INFORMATION

Fitting Height (mm)	150
Item Nett Weight (Kg)	0.28
Width (mm)	90
Projection (mm)	190
No. of Lamp	1
Lamp Holder	GU10
Protection Class	Class II, Double Insulated
Input Voltage (V)	220-240 V, 50/60 Hz
IP Rating	IP20
CE	Yes
Lead Time	4 Weeks
Finish	Aged Brass, Polished Nickel

VARIATIONS

	Part	Finish
	CL-51355	Aged Brass
	CL-51354	Polished Nickel

PRODUCT DESCRIPTION

Single traditional spotlight with an adjustable flared head. Available in Polished Nickel or Aged Brass

